



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW EMERGENCY USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT FOR CONTROL OF GRASSHOPPERS IN PASTURE**

**PERMIT NUMBER – PER90814**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 11 MARCH 2021 TO 30 SEPTEMBER 2021**

**Permit Holder:**

DEPARTMENT OF AGRICULTURE AND FISHERIES  
Level 5, 80 Ann Street  
BRISBANE QLD 4001

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Products to be used:

REGENT 200SC INSECTICIDE (APVMA No. 46793)

PLUS OTHER REGISTERED PRODUCTS

Containing: 200 g/L FIPRONIL as the only active constituent.

REGENT 800WG INSECTICIDE (APVMA No. 47407)

PLUS OTHER REGISTERED PRODUCTS

Containing: 800 g/kg FIPRONIL as the only active constituent.

### Directions for Use:

Crop	Pest	Rate
Pasture	Grasshoppers (various species)	<u>200 g/L fipronil products:</u> 6.25 mL/ha  <u>800 g/kg fipronil products:</u> 1.5 g/ha

### Critical Use Comments:

- Apply by aerial or ground boomspray.
- Use a minimum spray volume of 20 L/ha by air or 50 L/ha by ground rig.
- DO NOT apply less than 14 days after the initial treatment.
- DO NOT apply to wet foliage. Products are rainfast after drying on foliage (1 hour). Respray only if rain fall before spray is dry on crop.

### Withholding Period:

Grazing: Do not graze or cut for stock food for 14 days after application.

### Livestock Withholding Period:

Withhold stock from slaughter for 21 days after application, where stock were present in pasture at time of application.

### Livestock Destined for Export Markets

The above withholding periods for grazing or cutting for stock food only applies to stock slaughtered for the domestic market. Some export markets apply different standards. To meet these standards, ensure that the Export Slaughter Interval (ESI) or the Export Grazing Interval (EGI) stated below for the relevant chemical product used is observed before stock are sold or slaughtered.

#### *Export Animal Feed Interval (EAFI)*

A minimum period of 14 days must elapse between the application of fipronil and grazing or harvesting the crop/pasture for animal feed.

#### *Export Slaughter Intervals (ESI)*

Livestock that have been grazing on or fed treated material from treated areas and/or over-sprayed with products containing fipronil should be placed on clean feed for 14 days prior to export slaughter.

### *Export Grazing Interval (EGI)*

Livestock that have been grazing on treated areas and/or over-sprayed with products containing fipronil should not be sold for export slaughter until 21 days has elapsed following application of the chemical product, unless the Export Slaughter Interval has been observed.

### **Jurisdiction:**

QLD only.

Specifically within the Mitchell Grass Downs bioregion.

### **Additional Conditions:**

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

### *Other Matters*

Continued issuance of this permit is subject to the outcomes of the current APVMA review of fipronil. This permit may be impacted by the outcomes of this review.

Issued by the Australian Pesticides and Veterinary Medicines Authority